

Dromex



FOCUS SPECTACLE



DV-894AG-AF-Y



DV-894AG-AF-B



DV-894AG-AF-R



Description

Dromex® DV-894AG-AF polycarbonate dual lens spectacles is designed to protect the users' eyes from flying debris, particles, and sun glare during work activities. Suitable for outdoor use, construction, warehouse and general industry applications.

Designed for compatibility with other PPE, such as industrial hats, hearing protectors and respiratory protective half mask devices. The DV-894AG-AF spectacle is lightweight with an impact anti-scratch and anti-fog resistant polycarbonate lens. Colour coded rubber temples provides comfort over ears and allows for differentiation of workforce.

These features ensure a firm fit promoting enhanced product performance and user comfort.

Special Instructions

- Failure to adhere to all instructions and precautionary measures can result in injury.
- If the user has eye conditions or vision impairment, they must consult with a registered physician prior to use.
- Any damages to this protective device, may reduce clarity of sight that could result in injury.
- Following any major detectable defects on the spectacle, the spectacle should be replaced immediately.
- This eye protector is suitable for use to the lowest marking on the lens (ocular) and frame.
- If the lens becomes damaged, the eye protector should be replaced.
- It shall be the responsibility of the persons and organizations that use this spectacle to establish safety and health practices and to determine the applicability of regulatory limitations prior to the use of this spectacle.
- The spectacle is designed to be used with other PPE equipment.
- Although the manufacturer has examined this eyewear under the system for ensuring quality of production by means of monitoring and inspection, we recommend that all eyewear should be thoroughly inspected before use to ensure no damage is present.

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer. The information contained herein are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. Actual conditions of use cannot be directly simulated in a test environment, therefore it is the responsibility of the end user and not the manufacturer or supplier to determine the suitability for intended use.

Compliance & Conformity


Conforms to CE, EN 166:2001. Revision of certification in progress. Quality System as per ISO 9001:2008.

Specifications

Style:	Polycarbonate lens and frame with sun glare protection and rubber nose pad
Lens:	Grey colour shade in polycarbonate, that is anti-fog and scratch resistant
Frame:	Polycarbonate frame and hard rubber temples.
Refractive Power:	±0.06 D
Astigmatism:	0.06 D
Optical class:	1 - ± 0, 06 DIOPTRIS for permanent wear
Lateral vision:	180 degrees
Minimum Velocity particles:	Class F, 45 m/s
Mass:	28g
Additional:	Available in yellow part number DV-894G-AF-Y, blue, part number DV-894G-AF-B and red, part number DV-894G-AF-R colour coded temples

Packaging, Storage & Obsolescence

Packed 12 individually wrapped spectacles in a box and 25 boxes per carton (300 spectacles per carton).



Store in a cool dry place. Stored correctly, the spectacles physical properties will not change for up to three years.

Inspection Frequency and Details

Prior to use, the spectacle should be free of any potential contaminants that can affect its intended performance. This spectacle should be inspected by the user at the end of every use to then again prior to each use. Cracked eyewear must be removed from service as they will reduce eye protection and obstruct vision.

Cleaning & Maintenance

Designed as re-usable protective eyewear. After use clean with a mild cleaning liquid, carefully rinse off all traces of the cleaning liquid and dry with a soft cloth and gently wipe with a soft spectacle cleaning material. Do not clean on clothing nor use abrasive cleaners.

Limitations of Use

These spectacles should not be used for any athletic game, recreational activities, paintball or simulated water activities. These spectacles are not suitable to protect from chemical, biological, radiological, and nuclear (CBRN) agents.

Recommendations and Restrictions

The use of these spectacles is restricted to the scope and application as intended by EN 166:2001.

Shelf Life

The duration of the spectacle cannot be determined by a timeline as its intended for normal day to day use. Ensure proper care and maintenance (inspection and cleaning) is adhered to. Under normal circumstances the spectacle should offer adequate protection for 3 years.

Disposal

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Safety eyewear should be disposed of considering the hazardous substances they were used for or could be contaminated with. Please consider recycling.

Materials



1. Polycarbonate dual-lens
2. Black plastic soft nose bridge right.
3. Black plastic soft nose bridge left.
4. Product Marking -CE 5-2,5 1 F N.
5. Black nylon frame.

Dromex: Unit 1, 1 Blase Road, New Germany, 3620, South Africa
T. +27(31) 713 1960 E. info@dromex.co.za
www.dromex.co.za